PROPOSED RULE MAKING

CR-102 (December 2017) (Implements RCW 34.05.320)

Do NOT use for expedited rule making

CODE REVISER USE ONLY

OFFICE OF THE CODE REVISER STATE OF WASHINGTON **FILED**

DATE: August 03, 2021

TIME: 11:47 AM

WSR 21-16-094

Agency: State Board of	of Health		
⊠Original Notice			
□Supplemental Notice	ce to WSR		
☐ Continuance of WS	SR		
⊠Preproposal Stater	nent of Inqu	uiry was filed as WSR 20-05-032	; or
■Expedited Rule Ma	kingPropo	osed notice was filed as WSR ; or	
☐ Proposal is exemp	t under RC\	N 34.05.310(4) or 34.05.330(1).	
☐ Proposal is exemp	t under RC\	N.	
certification and data re laboratory certification	eporting (Lat and data rep	o rule). The State Board of Health (porting rules (Lab rule) to align labo	Chapter 246-390 WAC, Drinking water laboratory (board) is proposing amendments to the drinking water ratory data reporting requirements with the anticipated oup A rule) as related to Per- and Polyfluoroalkyl
Hearing location(s):			
Date:	Time:	Location: (be specific)	Comment:
10/13/2021	1:30PM	In response to the COVID-19 pandemic and public health emergency, the State Board of Health will not provide a physical location for this hearing to promote social distancing and the safety of the citizens of Washington State. A virtual public hearing, without a physical meeting space, will be held instead. Please register for the public hearing using the link here: https://us02web.zoom.us/webinar/register/WN_KVff1ReLToOu6mTS_GHpjg After registering, you will receive a confirmation email containing information about joining the webinar.	
Date of intended adop Submit written comm		/2021 (Note: This is NOT the effect	:tive date)
Submit written comm	ents to:		

Name: Nina Helpling

Address: Department of Health

Division of Environmental Health

PO BOX 47820

Olympia, Washington 98504-7820 Email: https://fortress.wa.gov/doh/policyreview

Fax: N/A

Other: labrule1@c By (date) <u>09/03/20</u>	•		
	ersons with disabilities:		
Contact Nina Help			
Phone: 360-236-3			
Fax: N/A			
TTY: 711			
Email: nina.helplir	ng@doh.wa.gov		
Other:			
By (date) <u>09/29/20</u>	<u>)21</u>		
State Board of He rule under chapter filed the CR-101, I considered to the reported directly to rule. The propose	alth (board) accepted a petition 246-290 WAC (Group A rule) Preproposal Statement of Inquigroup A rule necessitated chapter the department or public wat add notification requirements	effects, including any changes in existing rules in for rulemaking to consider revisions to the Group to set a standard for Per- and Polyfluoroalkyl substiry, as WSR 18-01-080 on December 15, 2017. Tanges to the Lab rule because PFAS contaminant er system and therefore have never been a requise require corresponding changes to the lab rule for specific PFAS contaminants. The rule revision	p A public water supplies ostances (PFAS). The board The amendments being results have never been red component of the lab r explicit PFAS reporting
Reasons suppor	0	sed amendments to the Group A rule necessitate	
directly to the dep changes to the Gr	artment and public water syste oup A rule require correspond	aminants and associated requirements such as reems are not included in the current chapter require ing changes to the Lab rule for explicit PFAS reposaminants. The rule revision also includes technical	ements. The proposed orting requirements and add
Statutory authori	ity for adoption: RCW 43.20.	050 and RCW 70A.125.080	
Statute being im	plemented: RCW 43.20.050 a	and RCW 70A.125.080	
ls rule necessary	because of a:		
Federal Lav	ν?		☐ Yes ⊠ No
Federal Co	urt Decision?		☐ Yes ⊠ No
State Court	Decision?		☐ Yes ⊠ No
If yes, CITATION:			
Agency commen matters: None		ny, as to statutory language, implementation,	enforcement, and fiscal
Name of propone	ent: (person or organization)	Washington State Board of Health	□Private □Public ⊠Governmental
Name of agency	personnel responsible for:		
	Name	Office Location	Phone
Drafting:	Nina Helpling	111 Israel Rd SE, Tumwater, WA 98501	(360) 236-3065
Implementation:	Derrick Dennis	111 Israel Rd SE, Tumwater, WA 98501	(360) 236-3122
Enforcement:	Derrick Dennis	111 Israel Rd SE, Tumwater, WA 98501	(360) 236-3122
Is a school distri If yes, insert state	•	equired under RCW 28A.305.135?	☐ Yes ⊠ No
The public may Name:	obtain a copy of the school d	listrict fiscal impact statement by contacting:	

Address:
Phone:
Fax:
TTY:
Email:
Other:
Is a cost-benefit analysis required under RCW 34.05.328?
Yes: A preliminary cost-benefit analysis may be obtained by contacting:
Name: Nina Helpling
Address: Department of Health
Division of Environmental Health
PO BOX 47820
Olympia, Washington 98504-7820
Phone: 360-236-3065
Fax: N/A
TTY: 711
Email: nina.helpling@doh.wa.gov
Other: https://www.doh.wa.gov/CommunityandEnvironment/DrinkingWater/RegulationandCompliance/RuleMaking
☐ No: Please explain:

Regulatory	Fairness Act Cost Considerations for a Smal	I Busine	ess Economic Impact Statement:
	pposal, or portions of the proposal, may be exem 35 RCW). Please check the box for any applicables		requirements of the Regulatory Fairness Act (see otion(s):
adopted sole	ely to conform and/or comply with federal statute his rule is being adopted to conform or comply wi	or regul	CW 19.85.061 because this rule making is being ations. Please cite the specific federal statute or lescribe the consequences to the state if the rule is not
☐ This rule			e the agency has completed the pilot rule process lle.
	e proposal, or portions of the proposal, is exempt a referendum.	under th	ne provisions of RCW 15.65.570(2) because it was
	proposal, or portions of the proposal, is exempt	under R	CW 19.85.025(3). Check all that apply:
	RCW 34.05.310 (4)(b)		RCW 34.05.310 (4)(e)
	(Internal government operations)		(Dictated by statute)
	RCW 34.05.310 (4)(c)		RCW 34.05.310 (4)(f)
	(Incorporation by reference)		(Set or adjust fees)
	RCW 34.05.310 (4)(d)		RCW 34.05.310 (4)(g)
	(Correct or clarify language)		((i) Relating to agency hearings; or (ii) process
			requirements for applying to an agency for a license or permit)
☐ This rule	e proposal, or portions of the proposal, is exempt	under R	CW.
095 add or o		equireme	46-390-010, 246-390-065, 246-390-085, and 246-390- ents to make the rule easier to understand, and updates the rules.
	COMPLETE THIS SECTION C	NLY IF	NO EXEMPTION APPLIES
If the propos	sed rule is not exempt , does it impose more-than	n-minor (costs (as defined by RCW 19.85.020(2)) on businesses?
by labs. average proposed Yes	d one-time costs incurred by labs of \$1,000 and a The minor cost thresholds are \$10,606 for the 1% annual receipts (sales) threshold. This shows that rule changes.	an estim 6 averag at there a	osts were calculated. <u>Based on the analysis, there is an ated annual reoccurring costs of \$500 would be incurred e annual payroll threshold and \$7,878 for the .03% are only minor costs incurred by labs to comply with the e-than-minor cost to businesses, and a small business</u>
The p	• • • • • • • • • • • • • • • • • • • •	conomic	impact statement or the detailed cost calculations by
Ac	ame: Idress:		
	none:		
Fa			
TT	iX: - v ·		
	'Y:		
Er			
Er	Y: nail: her:	Signatu	ire:
Er Ot Date: Augus	Y: nail: her:	Signatu	ure: Mishelle A David

- WAC 246-390-010 Definitions, abbreviations, and acronyms. definitions, abbreviations, and acronyms in this section apply throughout this chapter, unless the context clearly indicates otherwise.
- (1) "umhos/cm" means micromhos per centimeter (1 umhos/cm = 1 S/ cm).
 - (2) " μ g/L" means micrograms per liter (1 μ g/L = 1 ppb).
 - (3) "Acute" means posing an immediate risk to human health.
- ((2) "Analyte" means the constituent or property of a sample measured using an analytical method for compliance purposes under chapters 246-290 and 246-291 WAC.
- (3))) (4) "Bioaccumulative" means a chemical that can accumulate in the body when regular exposure occurs through drinking water.
 - (5) "C.F.R." means the Code of Federal Regulations. ((4))) (6) "CFU" means colony-forming unit.
- (7) "Chronic" means ((human exposure over many years to a contaminant at levels above the MCL)) posing a risk to human health only when exposure occurs over many years to a contaminant above a state or federal health standard.
- (((5))) (8) "Close of business" means the latest time during a business day when a lab is no longer in routine operation for accepting or performing drinking water sample analysis.
- $((\frac{1}{6}))$ (9) "Confirmation" means $(\frac{1}{6})$ and $\frac{1}{6}$ and $\frac{1}{6}$ and $\frac{1}{6}$ lyzed from the same location where a detection has occurred to confirm the detection. The original sample and the confirmation sample are collected and analyzed within a reasonable period of time, generally not to exceed two weeks. Confirmation occurs when the confirmation sample analysis result falls within plus or minus thirty percent of the original sample result)) to demonstrate the accuracy of results of a sample by analyzing another sample from the same location within a reasonable period of time, generally not to exceed two weeks. Confirmation occurs when analysis results fall within plus or minus thirty percent of the original sample results. This confirmation analysis is in addition to any analytical method confirmation requirements.
- $((\frac{7}{}))$ (10) "Contaminant" means a substance present in drinking water that may adversely affect the health of the consumer or the aesthetic quality of the water. It is measured using an analytical method for compliance purposes under chapters 246-290 and 246-291 WAC.
- (11) "Contracted lab" means a certified lab that receives a drinking water sample from another certified lab for analysis.
- $((\frac{8}{(8)}))$ (12) "Contracting lab" means a certified lab that sends a drinking water sample to another certified lab to be analyzed.
- $((\frac{\cancel{(9)}}{\cancel{(13)}}))$ (13) "CU" means color unit. (14) "Department" means the Washington state department of health or health officer as identified in a joint plan of responsibility under WAC 246-290-030(1).
- $((\frac{10}{10}))$ "Ecology" means the Washington state department of ecology.
- (((11))) (16) "EPA" means the United States Environmental Protection Agency.
- $((\frac{12}{12}))$ "Estimated concentration" means the level of the ((analyte)) contaminant reported to the department is above a lab's MDL, but below the lab's MRL.

[1] OTS-3121.3

- $((\frac{(13)}{(14)}))$ (18) "GWR" means groundwater rule. $((\frac{(14)}{(14)}))$ (19) "Lab" or "certified lab" means an environmental lab accredited under chapter 173-50 WAC for one or more drinking water ((analytes)) contaminants and meets the requirements of this chapter.
- $((\frac{15}{15}))$ (20) "Maximum contaminant level (MCL)" means the maximum permissible level of a contaminant in water that a public water system delivers to consumers. MCLs are established in chapters 246-290 and 246-291 WAC.
- $((\frac{(16)}{(16)}))$ <u>(21)</u> "Minimum detectable activity (MDA)" means the smallest activity or concentration of radioactive material in a sample that will yield a net count (above sample background) that can be detected with ninety-five percent probability.
- $((\frac{17}{17}))$ (22) "Minimum detection level (MDL)" means the minimum measured concentration of a substance that can be reported with ninety-nine percent confidence that the measured concentration is distinquishable from the method blank results.
- $((\frac{(18)}{(18)}))$ (23) "Method reporting limit (MRL)" means the lowest concentration of a standard used for calibration. $((\frac{(19)}{(19)}))$ (24) "MFL" means microfibers per liter.

 - (25) "mg/L" means milligrams per liter (1 mg/L = 1 ppm).
 - (26) "MPN" means most probable number.
 - (27) "ng/L" means nanograms per liter (1 ng/L = 1 ppt).
 (28) "NTU" means nephelometric turbidity units.

 - (29) "pCi/L" means picocuries per liter.

 - (30) "ppb" means parts per billion (1 ppb = 1 μ g/L). (31) "ppm" means parts per million (1 ppm = 1 μ g/L).
 - (32) "ppt" means parts per trillion (1 ppt = 1 ng/L).
- (33) "Proficiency testing (PT)" means the evaluation of sample analysis results, the true values of which are known to the supplier of the samples, but unknown to the lab conducting the analysis. PT samples are provided by a source external to the certified lab.
- $((\frac{(20)}{(34)}))$ "Public water system" is defined $((\frac{and referenced}{(and referenced}))$ under WAC 246-290-020 and $246-291-\bar{0}10$.
- $((\frac{(21)}{(21)}))$ "Quality control (QC)" means a set of measures used during an analytical method to ensure that the process is within specified control parameters.
- (((22))) (36) "State action level (SAL)" means the concentration of a contaminant or group of contaminants, without an MCL, established to protect public health in accordance with WAC 246-290-315 and which, if exceeded, triggers actions a purveyor must take in accordance with WAC 246-290-320.
- (37) "State detection reporting limit (SDRL)" means the minimum reportable detection of ((an analyte)) a contaminant as established in Tables $((\frac{1}{4}))$ 3 through $((\frac{4}{4}))$ 7 of this chapter.
- (38) "Tentatively identified compound (TIC)" means compounds detected in samples that are not target compounds, internal standards, system monitoring compounds or surrogates.

AMENDATORY SECTION (Amending WSR 18-09-048, filed 4/13/18, effective 5/14/18)

WAC 246-390-055 Reporting contracted analytical results. (1) A contracting lab that contracts with another lab shall:

> [2] OTS-3121.3

- $((\frac{1}{1}))$ (a) Verify that the contracted lab is $((\frac{a}{1}))$ currently certified ((lab)) in Washington to analyze samples for the contaminant;
- $((\frac{(2)}{(2)}))$ (b) Notify the public water system that a sample will be contracted to another lab at the time the contracting lab confirms that the sample will be contracted out to another lab;
- (c) Confirm that the contracted lab receives the sample within fourteen calendar days of the contracting lab receiving the sample, but not to exceed ((an analyte)) a contaminant holding time if the holding time is less than fourteen calendar days;
- (((3))) (d) Provide the following information to the contracted lab:
- $((\frac{a}{a}))$ The public water system's department assigned water system identification number;
 - $((\frac{b}{b}))$ <u>(ii)</u> The name of the public water system;
 - (((c))) (iii) The date the sample was collected;
- $((\frac{d}{d}))$ (iv) The location where the sample was collected; $(\frac{d}{d})$ (v) The public water system's department assigned source identification number;
 - $((\frac{f}{f}))$ <u>(vi)</u> The purpose for the sample;
 - $((\frac{g}{(g)}))$ (vii) The sample composition; and $(\frac{h}{(g)})$ (viii) The sample type;
- (e) Identify, on the final analytical results to the public water system, which sample results were contracted to another lab and clearly identify the lab.
- (((4) The contracted lab shall)) <u>(2) A contracted lab that re-</u> ceives a sample from a contracting lab shall:
- (a) Submit to the department a copy of the analytical results following the requirements under WAC 246-390-065 and 246-390-075;
- (((5) The contracted lab shall)) <u>(b) S</u>ubmit a copy of the analytical results to the contracting lab in the format and time frame per the contract terms <u>established</u> between the contracting lab and the contracted lab.

AMENDATORY SECTION (Amending WSR 18-09-048, filed 4/13/18, effective 5/14/18)

- WAC 246-390-065 Notification requirements. (1) In addition to the data reporting requirements under WAC 246-390-075, a lab shall notify the department and the public water system ((for:
- (a) (i) Routine, repeat, GWR, triggered source water monitoring, and assessment source water monitoring results, as required under chapter 246-290 WAC, that are E. coli bacteria present.
- (ii) Notification occurs with no less than three attempts to contact the department and the public water system by telephone, facsimile, or email as soon as possible after sample results have been determined, but no later than the close of business.
- (b) (i) Routine, repeat, GWR, triggered source water monitoring, and assessment source water monitoring results that are total coliform bacteria present.
- (ii) Notification occurs with one attempt to contact the department and the public water system by telephone (voice mail is acceptable), facsimile, or email as soon as possible after sample results have been determined, but no later than the close of business on the

[3] OTS-3121.3 next business day. For labs that operate seven days per week or observe regular holidays; weekends and holidays are not considered "business days" for the purposes of this subsection.

- (c) Routine or confirmation sample results for nitrate or nitrite that exceed the MCL under chapters 246-290 and 246-291 WAC; or
- (d) (i) Routine or confirmation sample results for inorganic, organic, or radiological contaminants that exceed four times the contaminant's primary MCL under chapters 246-290 and 246-291 WAC.
- (ii) For (c) and (d) of this subsection, notification occurs with one attempt to contact the department and public water system by telephone, facsimile, or email as soon as possible after sample results have been verified by quality control staff, but no later than the close of business.
- (2))) in accordance with Table 1 of this section for the following exceedances:

<u>Table 1 - Notification Requirements for Routine Compliance Samples</u>

Sample type	Exceeds	¹ Required Notification	Required Number of Attempts to Contact the Department
Routine, repeat, triggered, and assessment water coliform samples	Total coliform positive and E. coli positive	Close of business same day	3
Routine, repeat, triggered, and assessment water coliform samples	Total coliform positive and <i>E. coli</i> negative	Close of business ² next business day	1
Routine or confirmation samples for nitrate or nitrite	MCL under chapters 246-290 and 246-291 WAC	Close of business same day	<u>3</u>
Routine or confirmation sample results for other inorganic, or radiological contaminant sample results	4 times the state or federal MCL under chapters 246-290 and 246-291 WAC	Close of business same day	1

(2) For routine or confirmation sample results for contaminants that exceed the SAL or state MCL under WAC 246-290-315 and classified as Tier 1, Tier 2 bioaccumulative, or Tier 2 nonbioaccumulative under WAC 246-290-71006 Table 17, a lab shall notify the department as indicated in Table 2 of this section:

<u>Tier Number</u>	Bioaccumulative (Y/N)	<u>Exceeds</u>	¹ Required Notification	Required Number of Attempts to Contact the Department
Tier 1	<u>Either</u>	SAL or state MCL	Close of business same day	<u>3</u>
Tier 2	<u>Y</u>	4 times SAL or state <u>MCL</u>	Close of business same day	<u>3</u>
Tier 2	Y	SAL or state MCL	Close of business ² next business day	1
Tier 2	N	4 times SAL or state MCL	Close of business same day	1

¹ Notification may occur by telephone, facsimile, or email. If close of business is after 5 p.m. PST, contact the department's after-hours telephone number.

(3) A lab shall:

² For labs that operate seven days per week or observe regular holidays; weekends and holidays are not considered business days for the purposes of this subsection

- (a) Document all notification attempts required under subsections (1) and (2) of this section by recording the following information in a paper or electronic logbook:
 - (i) Date;
 - (ii) Time;
 - (iii) Sample number;
- (iv) Public water system name and department-assigned identification number;
- (v) The contact person and telephone number, facsimile number, or email address for the public water system;
- (vi) The contact person and telephone number, facsimile number, or email address of the department; and
 - (vii) The initials of the lab person that made the attempt.
- (b) Make the logbook available to the department upon request; and
- (c) Retain the logbook for a minimum of two years after the last entry date.

<u>AMENDATORY SECTION</u> (Amending WSR 18-09-048, filed 4/13/18, effective 5/14/18)

- WAC 246-390-075 Reporting. (1) A lab shall report analytical results to the department and the public water system.
- (2) ((Effective December 1, 2018,)) \underline{A} lab submitting paper reports shall complete and submit to the department data reports following the procedures and templates in the department's Laboratory Reporting Guidance, Publication DOH 331-530, ((March 2018)) December 2021.
- (3) A lab submitting electronic reports shall complete and submit to the department data reports following the procedures in the department's *Electronic Reporting Guidance*, Publication 331-289, ((March 2018)) December 2021.
- (4) Labs shall submit reports to the public water system in the format and time frame that was agreed upon when executing the service agreement between the laboratory and the public water system.
- (5) Labs shall submit reports of acute contaminant results within ten business days after receiving the sample.
- (6) Labs shall submit reports of chronic contaminants within ((forty-five business)) thirty calendar days after receiving the sample.
 - (7) Analytical results must be complete, legible, and accurate.
- (8) A lab shall report numerical results consistent with the accuracy of the EPA-approved methods and any associated lab instruments, glassware, or tools.
- (9) A lab shall report numerical results out to, but not exceed, one decimal place past the SDRL in cases where the last definitely known digit exceeds one decimal place past the SDRL as follows:
- (a) If the SDRL is 1.1 and the result, out to the last definitely known digit is 1.132, then the value reported to the department is 1.13;
- (b) If the digit 6, 7, 8, or 9 is dropped, increase the preceding digit by one unit;
- (c) If the digit 0, 1, 2, 3, or 4 is dropped, do not alter the preceding digit; or

[5] OTS-3121.3

- (d) If the digit 5 is dropped, round off the preceding digit to the nearest even number. For example, 2.25 becomes 2.2, and 2.35 becomes 2.4.
- (10) A lab shall include the following data qualifiers adjacent to the results that are affected:
- (a) "B" This data qualifier is used when the target ((analyte)) contaminant is detected in the method blank above the lab's established MRL or SDRL, whichever is lower;
- (b) "J" This data qualifier is used when the result is an estimated concentration per subsections (13) $((and))_{L}$ (14), and (17) of this section;
- (c) "NDDS" This data qualifier is used when the ((analyte)) contaminant is not detected in duplicate sample; or
- (d) "U" This data qualifier is used when the radiochemistry ((analyte)) contaminant is not detected at or above the lab's established MDA.
- (11) A lab shall notate on the report to the public water system and the department when any analysis is completed using a provisional accreditation.
- (12) At the department's request, a lab shall submit the following information:
 - (a) The method specific QC for any given analytical report.
- (b) The most recent MDL procedures performed for any given ((analyte)) contaminant.
- (c) The most recent PT study performed for any given ((analyte)) contaminant.
- (13) The SDRLs for organic chemical ((analytes)) <u>contaminants</u> are established in Table ((4)) <u>3</u> of this section. <u>All contaminants in Table 3 are considered chronic contaminants.</u>
- (a) Labs shall attach to the (($\frac{1}{1}$ report)) analytical result a copy of the method specific QC results for any organic chemical detection that is reported to the department which is at or above the SDRLs listed in Table (($\frac{1}{1}$)) $\frac{3}{1}$ of this section except for:
 - (i) Chloroform (0027);
 - (ii) Bromodichloromethane (0028);
 - (iii) Dibromochloromethane (0029);
 - (iv) Bromoform (0030);
 - (v) Monochloroacetic Acid (0411);
 - (vi) Dichloroacetic Acid (0412);
 - (vii) Trichloroacetic Acid (0413);
 - (viii) Monobromoacetic Acid (0414);
 - (ix) Monobromoacetic Acid (0415); and
 - (x) Total Organic Carbon (0421).
- (b) A lab shall report organic chemical ((analyte)) contaminant results when the lab's established MRL is greater than the SDRL as:
- (i) "Nondetect" or "ND" when a lab's result is less than the SDRL and MRL;
- (ii) An estimated concentration, notated with a "J" data qualifier when a result is equal to or greater than the SDRL, but less than the lab's established MRL;
- (iii) A number when a result is equal to or greater than the lab's established MRL.
- (c) A lab shall report organic chemical ((analyte)) contaminant results when the lab's established MRL is less than the SDRL as:
- (i) "Nondetect" or "ND" when a lab's result is less than the lab's established MRL;

- (ii) "Nondetect" or "ND" when a lab's result is less than the (($\frac{\text{lab}'s}{\text{s}}$)) established SDRL; or
- (iii) A number when a result is equal to or greater than the ${\mbox{SDRL}}.$
- (d) A lab shall report organic chemical ((analyte)) contaminant results when their established MRL is equal to the SDRL as:
- (i) "Nondetect" or "ND" when a lab s result is less than the SDRL and MRL; or
- (ii) A number when a result is equal to or greater than the SDRL and the lab's established MRL.

Table ((1)) 3 - Organic ((Chemicals)) Contaminants

((Analyte)) <u>Contaminant</u> Name	((Analyte)) <u>Contaminant</u> Number	Units	SDRL
1,1 Dichloroethane	0058	μg/L	0.5
1,1 Dichloroethylene	0046	μg/L	0.5
1,1 Dichloropropene	0062	μg/L	0.5
1,1,1 Trichloroethane	0047	μg/L	0.5
1,1,1,2 Tetrachloroethane	0072	μg/L	0.5
1,1,2 Trichloroethane	0067	μg/L	0.5
1,1,2,2 Tetrachloroethane	0080	μg/L	0.5
1,2 Dichlorobenzene	0084	μg/L	0.5
1,2 Dichloroethane	0050	μg/L	0.5
1,2 Dichloropropane	0063	μg/L	0.5
1,2,3 Trichlorobenzene	0098	μg/L	0.5
1,2,3 Trichloropropane	0079	μg/L	0.5
1,2,4 Trichlorobenzene	0095	μg/L	0.5
1,2,4 Trimethylbenzene	0091	μg/L	0.5
1,3 Dichloropropane	0070	μg/L	0.5
1,3 Dichloropropene	0154	μg/L	0.5
1,3,5 Trimethylbenzene	0089	μg/L	0.5
1,4 Dichlorobenzene	0052	μg/L	0.5
2,2 Dichloropropane	0059	μg/L	0.5
2,3,7,8 TCDD (dioxin)	0149	ng/L	0.005
2,4 D	0037	μg/L	0.1
2,4 DB	0135	μg/L	1
2,4,5 T	0136	μg/L	0.4
2,4,5 TP (Silvex)	0038	μg/L	0.2
3,5 Dichlorbenzoic Acid	0226	μg/L	0.5
4,4 DDD	0232	μg/L	0.1
4,4 DDE	0233	μg/L	0.1
4,4 DDT	0234	μg/L	0.1
Acenaphthylene	0244	μg/L	0.2
Acifluorfen	0223	μg/L	2
Alachlor	0117	μg/L	0.2
Aldicarb	0142	μg/L	0.5
Aldicarb Sulfone	0143	μg/L	0.8
Aldicarb Sulfoxide	0144	μg/L	0.5
Aldrin	0118	μg/L	0.1

[7] OTS-3121.3

((Analyte)) <u>Contaminant</u> Name	((Analyte)) <u>Contaminant</u> Number	Units	SDRL
Anthracene	0246	μg/L	0.2
Arochlor 1016	0180	μg/L	0.08
Arochlor 1221	0173	μg/L	20
Arochlor 1232	0174	μg/L	0.5
Arochlor 1242	0175	μg/L	0.3
Arochlor 1248	0176	μg/L	0.1
Arochlor 1254	0177	μg/L	0.1
Arochlor 1260	0178	μg/L	0.2
Atrazine	0119	μg/L	0.1
Bentazon	0220	μg/L	0.5
Benzene	0049	μg/L	0.5
Benzo (a) anthracene	0247	μg/L	0.2
Benzo (a) Pyrene	0120	μg/L	0.02
Benzo (b) fluoroanthene	0248	μg/L	0.2
Benzo (k) fluoranthene	0250	μg/L	0.2
Benzyl Butyl Phthalate	0258	μg/L	1.0
Bromacil	0179	μg/L	0.1
Bromobenzene	0078	μg/L	0.5
Bromochloromethane	0086	μg/L	0.5
Bromodichloromethane	0028	μg/L	0.5
Bromoform	0030	μg/L	0.5
Bromomethane	0054	μg/L	0.5
Butachlor	0121	μg/L	0.1
Carbaryl	0145	μg/L	2
Carbofuran	0146	μg/L	0.9
Carbon Tetrachloride	0048	μg/L	0.5
Chlordane (total)	0122	μg/L	0.2
Chlorobenzene	0071	μg/L	0.5
Chloroethane	0055	μg/L	0.5
Chloroform	0027	μg/L	0.5
Chloromethane	0053	μg/L	0.5
Chrysene	0251	μg/L	0.2
Cis- 1,2 Dichloroethylene	0060	μg/L	0.5
Cis- 1,3 Dichloropropene	0065	μg/L	0.5
Dalapon	0137	μg/L	1
DBCP	0103	μg/L	0.02
DBCP (screening)	0428	μg/L	0.5
DCPA Acid Metabolites	0225	μg/L	0.1
Di (2-Ethylhexyl) Adipate	0124	μg/L	0.6
Di (2-Ethylhexyl) Phthalate	0125	μg/L	0.6
Dibromoacetic Acid	0415	μg/L	1
Dibromochloromethane	0029	μg/L	0.5
Dibromomethane	0064	μg/L	0.5
Dicamba	0138	μg/L	0.2
Dichloroacetic Acid	0412	μg/L	1

[8] OTS-3121.3

((Analyte)) <u>Contaminant</u> Name	((Analyte)) <u>Contaminant</u> Number	Units	SDRL
Dichlorodifluoromethane	0104	μg/L	0.5
Dichlorprop	0221	μg/L	0.5
Dieldrin	0123	μg/L	0.1
Diethyl Phthalate	0260	μg/L	1.0
Dimethyl Phthalate	0261	μg/L	1.0
Di-n-butyl Phthalate	0259	μg/L	1.0
Dinoseb	0139	μg/L	0.2
Diquat	0150	μg/L	0.4
EDB	0102	μg/L	0.01
EDB (screening)	0427	μg/L	0.5
Endothal	0151	μg/L	9
Endrin	0033	μg/L	0.01
EPTC	0208	μg/L	0.1
Ethylbenzene	0073	μg/L	0.5
((Fluoranthene	0253	μg/L	0.2))
Fluorene	0254	μg/L	0.2
Glyphosate	0152	μg/L	6
HAA(5)	0416	μg/L	((*)) <u>+</u>
Heptachlor	0126	μg/L	0.04
Heptachlor Epoxide	0127	μg/L	0.02
Hexachlorobenzene	0128	μg/L	0.1
Hexachlorobutadiene	0097	μg/L	0.5
Hexachlorocyclo pentadiene	0129	μg/L	0.1
Isopropylbenzene	0087	μg/L	0.5
Lindane (bhc - gamma)	0034	μg/L	0.02
M- dichlorobenzene	0083	μg/L	0.5
M/P Xylenes (MCL for total)	0074	μg/L	0.5
Methomyl	0147	μg/L	4
Methoxychlor	0035	μg/L	0.1
Methylene Chloride (Dichloromethane)	0056	μg/L	0.5
Metolachlor	0130	μg/L	0.1
Metribuzin	0131	μg/L	0.1
Molinate	0218	μg/L	0.1
Monobromoacetic Acid	0414	μg/L	1
Monochloroacetic Acid	0411	μg/L	2
Naphthalene	0096	μg/L	0.5
N-Butylbenzene	0094	μg/L	0.5
N-Propylbenzene	0088	μg/L	0.5
O- Chlorotoluene	0081	μg/L	0.5
O- Xylene (MCL for total)	0075	μg/L	0.5
Oxamyl	0148	μg/L	2
P- Chlorotoluene	0082	μg/L	0.5
Paraquat	0400	μg/L	0.8
PCB (as Decachlorobiphenyl)	0401	μg/L	0.1
Pentachlorophenol	0134	μg/L	0.04

[9] OTS-3121.3

((Analyte)) <u>Contaminant</u> Name	((Analyte)) <u>Contaminant</u> Number	Units	SDRL
Phenanthrene	0256	μg/L	0.2
Picloram	0140	μg/L	0.1
P-Isopropyltoluene	0093	μg/L	0.5
Propachlor	0132	μg/L	0.1
Pyrene	0257	μg/L	0.2
Sec- Butylbenzene	0092	μg/L	0.5
Simazine	0133	μg/L	0.07
Styrene	0076	μg/L	0.5
Terbacil	0190	μg/L	0.1
Tert- Butylbenzene	0090	μg/L	0.5
Tetrachloroethylene	0068	μg/L	0.5
Toluene	0066	μg/L	0.5
Total organic carbon	0421	mg/L	0.7
Total Trihalomethane	0031	μg/L	((<u>*</u>)) <u>+</u>
Total Xylenes	0160	μg/L	0.5
Toxaphene	0036	μg/L	1
Trans- 1,2 Dichloroethylene	0057	μg/L	0.5
Trans- 1,3 Dichloropropene	0069	μg/L	0.5
Trichloroacetic Acid	0413	μg/L	1
Trichloroethylene	0051	μg/L	0.5
Trichlorofluoromethane	0085	μg/L	0.5
Trifluralin	0243	μg/L	0.1
Vinyl Chloride	0045	μg/L	0.5

((Key mg/L

= parts per million, or milligrams per liter

ng/L = nanograms per liter

μg/L = parts per billion, or micrograms per liter

=))+ Results are calculated values based on other analytical results.

(14) The SDRLs for inorganic chemical ((analytes)) contaminants are established in Table ((2)) 4 of this section. All contaminants in Table 4 are considered chronic contaminants except annual, quarterly, or monthly nitrate analysis which is considered an acute contaminant. Labs shall report analytical results within ten business days after receiving the nitrate sample. If nitrate analysis is part of a routine complete inorganic compound panel, then labs shall submit a report to the department within thirty calendar days after receiving the sample.

- (a) A lab shall report inorganic chemical ((analyte)) contaminant results when the lab's established MRL is greater than the SDRL as:
- (i) "Nondetect" or "ND" when a lab's result is less than the SDRL and MRL;
- (ii) An estimated concentration, notated with a "J" data qualifier, when a result is equal to or greater than the SDRL, but less than the lab's established MRL; or
- (iii) A number when a result is equal to or greater than the lab's established MRL.
- (b) A lab shall report inorganic chemical ((analyte)) contaminant results when the lab's established MRL is less than the SDRL as:
- (i) "Nondetect" or "ND" when a lab's result is less than the lab's established MRL;

[10] OTS-3121.3

- (ii) "Nondetect" or "ND" when a lab's result is less than the ((lab's)) <u>department's</u> established SDRL, <u>but greate</u>r than the lab's established MRL; or
- (iii) A number when a result is equal to or greater than the SDRL.
- (c) A lab shall report inorganic chemical ((analyte)) contaminant results when the lab's established MRL is equal to the SDRL as:

 (i) "Nondetect" or "ND" when a lab's result is less than the SDRL
- and MRL; or
- (ii) A number when a result is equal to or greater than the SDRL and the lab's established MRL.

Table ((2)) 4 - Inorganic ((Chemicals)) Contaminants

((Analyte)) <u>Contaminant</u> Name	((Analyte)) <u>Contaminant</u> Number	Units	SDRL
Alkalinity-Lab	0403	mg/L	5
Antimony	0112	mg/L	0.003
Arsenic	0004	mg/L	0.001
Asbestos	0115	MFL	0.20
Barium	0005	mg/L	0.1
Beryllium	0110	mg/L	0.0003
Bromate	0419	mg/L	0.005/0.001((*))
Cadmium	0006	mg/L	0.001
Chloride	0021	mg/L	((20)) <u>2</u>
Chlorite	0418	mg/L	0.02
Chromium	0007	mg/L	0.007
Color	0018	CU	15
Conductivity	0016	μmhos/cm	70
Copper	0023	mg/L	0.02
Cyanide	0116	mg/L	0.05
Fluoride	0019	mg/L	0.2
Hardness	0015	mg/L	10
Iron	0008	mg/L	0.1
Lead	0009	mg/L	0.001
Manganese	0010	mg/L	0.01
Mercury	0011	mg/L	0.0002
Nickel	0111	mg/L	0.005
Nitrate-n	0020	mg/L	0.5
Nitrite-n	0114	mg/L	0.1
Selenium	0012	mg/L	0.002
Silver	0013	mg/L	0.1
Sodium	0014	mg/L	5
Sulfate	0022	mg/L	((50)) <u>2</u>
TDS-total dissolved solids	0026	mg/L	100
Thallium	0113	mg/L	0.001
Total nitrate/nitrite	0161	mg/L	0.5
Turbidity	0017	NTU	0.1
Zinc	0024	mg/L	0.2

((Key

= color units

MFL = million fibers per liter

= parts per million, or milligrams per liter mg/L

= nephelometric turbidity units µmhos/em = micromhos per centimeter

=))Labs that use EPA Methods 317.0, 326.0 or 321.8 must meet a 0.0010 mg/L SDRL for bromate.

- (15) The SDRLs for radiochemistry ((analytes)) contaminants are established in Table ($(\frac{3}{})$) $\underline{5}$ of this section. All contaminants in Table 5 are considered chronic contaminants.
- (a) A lab's MDA must meet the established SDRL levels for the analysis to be considered for compliance purposes.
- (b) A lab shall report radiochemistry ((analyte)) contaminant results as:
- (i) A number and a "U" qualifier if the ((analyte)) contaminant was analyzed for, but not detected at or above the lab's established
- (ii) A number when a result is equal to or greater than the <u>lab's</u> established MDA.

((Analyte)) <u>Contaminant</u> Name	((Analyte)) <u>Contaminant</u> Number	Units	SDRL	
Cesium 134	0107	pCi/L	10.0	
Gross Alpha	0165	pCi/L	3.0	
Gross Alpha (Minus Uranium)	0041	pCi/L	((<u>*</u>)) <u>+</u>	
Gross Beta	0042	pCi/L	4.0	
Iodine 131	0108	pCi/L	1.0	
Radium 226	0039	pCi/L	1.0	
Radium 226 + 228	0040	pCi/L	((*)) <u>+</u>	
Radium 228	0166	pCi/L	1.0	
Radon	0109	pCi/L	((<u>*</u>)) <u>+</u>	
Strontium 90	0044	pCi/L	2.0	
Tritium	0043	pCi/L	1000	
Uranium	0105	μg/L	1.0	

Table ((3)) 5 - Radiochemistry Contaminants

((Key μg/L

pCi/L = picocuries per liter

parts per billion, or micrograms per liter

=))+ Results are calculated values based on other analytical results.

- (16) The units for microbiology ((analytes)) contaminants are established in Table ((4)) 6 of this section. All contaminants in Table 6 are considered acute contaminants.
- (a) Total coliform and E. coli results for routine and repeat samples in accordance with 40 C.F.R. 141 Subpart Y - Revised Total Coliform Rule, GWR triggered, and GWR assessment source sample results that are absent or present as follows:
 - (i) "Satisfactory" if no total coliforms are detected.
 - (ii) "Unsatisfactory" if:
 - (A) Total coliforms are detected; and
 - (B) E. coli absent if E. coli is not detected; or
 - (C) E. coli present if E. coli is detected.
- (b) A lab shall report routine filtered and unfiltered surface water microbiology ((analyte)) contaminant results as a number.
- (c) A lab shall report routine heterotrophic plate count results as a number.
- (d) A lab shall report results of investigative samples or samples collected for information only to the public water system for total coliforms, fecal coliforms, and E. coli as a number or, as absent

or present. Investigative samples or samples collected for information only are not required to be reported to the department.

Table ((4)) 6 - Microbiology Contaminants

((Analyte)) Contaminant Name	((Analyte)) <u>Contaminant</u> Number	Units	
E. coli (numerical)	<u>0003</u>	<u>CFU/100mL</u>	
E. coli (numerical)	<u>0003</u>	MPN/100mL	
E. coli (absence/presence)	<u>0003</u>	<u>N/A</u>	
Fecal Coliform (numerical)	<u>0002</u>	<u>CFU/100mL</u>	
Fecal Coliform (numerical)	<u>0002</u>	MPN/100mL	
Fecal Coliform (absence/presence)	<u>0002</u>	<u>N/A</u>	
Heterotrophic Plate Count (numerical)	<u>0101</u>	<u>CFU/1mL</u>	
Heterotrophic Plate Count (numerical)	<u>0101</u>	MPN/mL	
Total Coliform (numerical)	0001	CFU/100mL	
Total Coliform (numerical)	0001	MPN/100mL	
Total Coliform (absence/presence)	0001	N/A	
((Fecal Coliform (numerical)	0002	CFU/100mL	
Fecal Coliform (numerical)	0002	MPN/100mL	
Fecal Coliform (absence/presence)	0002	N/A	
E. coli (numerical)	0003	CFU/100mL	
E. coli (numerical)	0003	MPN/100mL	
E. coli (absence/presence)	0003	N/A	
Heterotrophic Plate Count (numerical)	0101	CFU/1mL	

Key CFU/100mL = colony forming units per 100 milliliters of sample

CFU/1mL = colony forming units per 1 milliliter of sample

MPN/100mL = most probable number per 100 milliliters of sample))

- (17) The SDRLs for per- and polyfluoroalkyl substances (PFAS) are established in Table 7 of this section. All contaminants in Table are considered chronic contaminants.
- (a) A lab shall analyze PFAS samples using EPA method 537.1, or EPA method 533, or with written approval, other department-approved methods.
- (b) A lab shall report PFAS contaminant results when the lab's established MRL is greater than the SDRL as follows:
- (i) "Nondetect" or "ND" when a lab's result is less than the SDRL and MRL;
- (ii) An estimated concentration, notated with a "J" data qualifier when a result is equal to or greater than the SDRL, but less than the lab's established MRL; or
- (iii) A number when a result is equal to or greater than the lab's established MRL.
- (c) A lab shall report PFAS contaminant results when the lab's established MRL is less than the SDRL as follows:
- (i) "Nondetect" or "ND" when a lab's result is less than the lab's established MRL;
- (ii) "Nondetect" or "ND" when a lab's result is less than the established SDRL; or
- (iii) A number when a result is equal to or greater than the SDRL.
- A lab shall report PFAS contaminant results when the lab's established MRL is equal to the SDRL as follows:

- (i) "Nondetect" or "ND" when a lab's result is less than the SDRL and MRL; or
- (ii) A number when a result is equal to or greater than the SDRL and the lab's established MRL.
- (e) A lab shall report to the department any tentatively identified compounds (TIC) that are detected while analyzing a PFAS sample if the approved method allows for TIC determinations to be made.
- (f) A lab shall attach to the analytical result a copy of the method-specific QC results for any TIC detections that are reported to the department.

Table 7 - Per- and Polyfluoroalkyl Contaminants

	Contaminant			³ Required Contaminant List for EPA	4Required Contaminant List for EPA
Contaminant Name	Number	<u>Units</u>	<u>SDRL</u>	<u>537.1</u>	533
(11Cl-PF3OUdS) 11-Chloroeicosafluoro-3- oxaundecane-1-sulfonic acid	<u>448</u>	ng/L	2	<u>Y</u>	<u>Y</u>
(4:2FTS) 1H,1H, 2H, 2H-Perfluorohexane sulfonic acid	<u>450</u>	ng/L	2	<u>N</u>	Y
(6:2FTS) 1H,1H, 2H, 2H-Perfluorooctane sulfonic acid	<u>451</u>	ng/L	2	<u>N</u>	Y
(8:2FTS) 1H,1H, 2H, 2H-Perfluorodecane sulfonic acid	<u>452</u>	ng/L	<u>2</u>	<u>N</u>	Y
(9C1-PF3ONS) 9-Chlorohexadecafluoro-3- oxanonane-1-sulfonic acid	<u>446</u>	ng/L	<u>2</u>	<u>Y</u>	<u>Y</u>
(ADONA) 4,8-Dioxa-3H-perfluorononanoic acid	445	<u>ng/L</u>	<u>2</u>	<u>Y</u>	<u>Y</u>
(HFPO-DA) Hexafluoropropylene oxide dimer acid	447	ng/L	<u>2</u>	<u>Y</u>	<u>Y</u>
(NEtFOSAA) N-ethyl perfluorooctanesulfonamidoacetic acid	<u>441</u>	ng/L	<u>3</u>	<u>Y</u>	<u>N</u>
(NFDHA) Nonafluoro-3,6-dioxaheptanoic acid	<u>453</u>	ng/L	2	<u>N</u>	<u>Y</u>
(NMeFOSAA) N-methyl perfluorooctanesulfonamidoacetic acid	442	ng/L	<u>3</u>	<u>Y</u>	N
(PFBA) Perfluorobutanoic acid	<u>454</u>	ng/L	<u>2</u>	<u>N</u>	<u>Y</u>
(PFBS) Perfluorobutanesulfonic acid	<u>429</u>	ng/L	<u>2</u>	<u>Y</u>	<u>Y</u>
(PFDA) Perfluorodecanoic acid	<u>436</u>	<u>ng/L</u>	<u>2</u>	<u>Y</u>	<u>Y</u>
(PFDoA) Perfluorododecanoic acid	<u>438</u>	<u>ng/L</u>	<u>2</u>	<u>Y</u>	<u>Y</u>
(PFEESA) Perfluoro(2-ethoxyethane)sulfonic acid	<u>460</u>	ng/L	<u>2</u>	<u>N</u>	<u>Y</u>
(PFHpA) Perfluoroheptanoic acid	<u>430</u>	ng/L	<u>2</u>	<u>Y</u>	<u>Y</u>
(PFHpS) Perfluoroheptanesulfonic acid	<u>455</u>	ng/L	2	<u>N</u>	<u>Y</u>
(PFHxA) Perfluorohexanoic acid	<u>435</u>	<u>ng/L</u>	<u>2</u>	<u>Y</u>	<u>Y</u>
(PFHxS) Perfluorohexanesulfonic acid	<u>431</u>	ng/L	2	<u>Y</u>	<u>Y</u>
(PFMBA) Perfluoro-4-methoxybutanoic acid	<u>456</u>	ng/L	2	<u>N</u>	<u>Y</u>
(PFMPA) Perfluoro-3-methoxypropanoic acid	<u>457</u>	<u>ng/L</u>	<u>2</u>	<u>N</u>	<u>Y</u>
(PFNA) Perfluorononanoic acid	432	ng/L	<u>2</u>	<u>Y</u>	<u>Y</u>
(PFOA) Perfluorooctanoic acid	434	<u>ng/L</u>	<u>2</u>	<u>Y</u>	<u>Y</u>
(PFOS) Perfluorooctanesulfonic acid	<u>433</u>	<u>ng/L</u>	<u>2</u>	<u>Y</u>	<u>Y</u>
(PFPeA) Perfluoropentanoic acid	<u>458</u>	ng/L	2	<u>N</u>	<u>Y</u>
(PFPeS) Perfluoropentanesulfonic acid	<u>459</u>	ng/L	2	<u>N</u>	<u>Y</u>
(PFTA) Perfluorotetradecanoic acid	440	ng/L	2	<u>Y</u>	<u>N</u>
(PFTrDA) Perfluorotridecanoic acid	<u>439</u>	ng/L	2	<u>Y</u>	<u>N</u>
(PFUnA) Perfluoroundecanoic acid	437	ng/L	<u>2</u>	<u>Y</u>	Y

4 For a water system to qualify for a monitoring waiver these contaminants must be reported to the department if analyzing the sample using EPA method 533

AMENDATORY SECTION (Amending WSR 18-09-048, filed 4/13/18, effective 5/14/18)

- WAC 246-390-085 Enforcement. (1) When a lab fails to comply with the requirements of this chapter, the department may initiate one or more of the following enforcement actions:
- (a) An informal ((letter)) enforcement document directing appropriate corrective measures to return a lab to compliance with the requirements of this chapter prior to taking formal enforcement measures;
- (b) A <u>formal enforcement process that includes</u>, but is not limited to:
- (c) A compliance schedule of specific actions needed to achieve compliance;
- (d) A notice of correction with specific actions needed within a designated time period to achieve compliance));
 - (ii) An order to correct violations; or
 - (iii) A formal compliance agreement.
- (2) If a lab fails to comply with ((a notice of correction as)) the terms and deadlines specified in one or more enforcement documents in subsection (1)(($\frac{1}{2}$)) of this section, the department may revoke or suspend a lab's drinking water certification in accordance with WAC 246-390-095.

AMENDATORY SECTION (Amending WSR 18-09-048, filed 4/13/18, effective 5/14/18)

- WAC 246-390-095 Revocation and suspension. (1) The department may suspend a lab's certification for up to one year or revoke a lab's certification for up to five years if a lab fails to comply with ((a notice of correction as)) any formal enforcement actions specified in WAC 246-390-085(1).
- (2) A lab whose certification is suspended or revoked may, after the period of suspension or revocation has ended, apply for certification in conformance with the requirements at the time of application.
- (3) If ecology suspends or revokes a lab's accreditation for drinking water ((analytes)) contaminants as authorized under chapter 173-50 WAC, the department shall immediately suspend or revoke a lab's certification to analyze drinking water samples. The lab must immediately notify the department and public water systems of any samples that are invalidated as a result of the revocation or suspension.

³ For a water system to qualify for a monitoring waiver these contaminants must be reported to the department if analyzing the sample using EPA method 537.1.